

PRODUCT DATA SHEET

Application details and Health and Safety Data

Product Code: TK140

Neuratek

Universal neutral detergent

A concentrated neutral detergent for cleaning sensitive surfaces safely. This is a specialised product for use where acidic or alkaline cleaners might weaken, etch or damage the substrate. Neuratek also finds application as a wetting agent in processes where surface tension reduction is required.

Directions for use

Use in hot or cold water, diluted to suit the application. Typically, 0.2 to 2% will be effective. Rinse with clean water where necessary. Neuratek can be used in manual, soaking and ultrasonic applications.

Please refer to product safety data sheet before use. Use only as directed.

- HIGH ACTIVITY
- pH NEUTRAL
- ULTRASONIC COMPATIBLE
- BIODEGRADABLE

CHIP 3 HEALTH AND SAFETY DATA SHEET

Section 1 Identification of the substance/preparation and company

Product code TK140
Name: Neuratek
Intended use: Universal neutral detergent
Supplier: Teknon Products
Bateman Street
Derby

DE23 8JL

Phone: 01332 268524 Fax: 01332 295941

Emergency outside office hours tel: 01332 292402

Web: www.teknon.co.uk Email: info@teknon.co.uk

Date of issue: 01 September 2003 Issue number 1

Date of printing 17 March 2009 Revisions indicated by *

Section 2 Composition/information on ingredients

Material	CAS number	Level	Hazards (see section 16)
Anionic surfactant	25155-30-0	15-30%	Xn R22 R36/38
Anionic surfactant	13150-00-0	1-5%	Xi R36/38

Section 3 Hazards identification (Undiluted product)

CHIP classification: Irritant

Eye hazard: Will cause irritation.

Skin hazard: Will cause irritation.

Respiratory hazard: Not a hazard in normal use.

Flammability hazard: Not combustible.

Other hazards:

Section 4 First aid measures

Eye contact: Immediately flush eyes with water, holding eyelids apart, for at least 10 minutes. Seek medical assistance immediately.

Skin contact: Remove contaminated clothing, wash skin with water and seek medical attention if irritation persists.

Inhalation: Not applicable.

Ingestion: Do not induce vomiting. If conscious, give water to drink. Seek medical assistance immediately.

Section 5 Fire fighting measures

Not applicable.

Section 6 Accidental release measures

Small quantities, mop up or use an inert absorbent.

Large quantities, contain and absorb or pump into suitable containers for disposal.

Spillage will make floors slippery.

Section 7 Handling and storage

Store in a cool, dry place protected from frost and away from acids and strong oxidising agents. Store upright in original containers.

Directions for use: Use in hot or cold water, diluted to suit the application. Typically, 0.2 to 2% will be effective. Rinse with clean water where necessary. Neutratak can be used in manual, soaking and ultrasonic applications.

Please refer to product safety data sheet before use. Use only as directed.

Shelf life: 24 months in good conditions

Section 8 Exposure controls/personal protection

These measures are suggested on the basis of general use methods and may not be appropriate to all potential uses of the product. The user is responsible for carrying out a full risk assessment of their specific processes and systems of work.

Eye protection: Wear chemical splash goggles to BS EN 166 34B

Hand protection: Wear pvc or latex gloves. Exact choice of glove depends on specific risk assessments.

Body protection: As necessary to prevent contact.

Respiratory protection: Not applicable.

Other protection:

Personal protective equipment:



Exact PPE requirements should be determined from a specific risk assessment of the processes being carried out.

Occupational exposure limit

None set

Section 9 Physical and chemical properties

Appearance: Pale amber liquid

Odour: Mild, characteristic.

pH: 7.5 1% in water (typical).

Boiling point: 100°C.

Melting point: Not applicable.

Flash point: Not applicable.

Auto-ignition temperature: Not applicable.

Explosive properties: Not applicable.

Oxidising properties: Not applicable.

Vapour pressure: 17.5mm Hg at 20°C.

Relative density at 20 C: 1.038

Solubility: Miscible with water.

Viscosity: Flowable viscous liquid

Section 10 Stability and reactivity

Conditions to avoid: Extremes of temperature.

Materials to avoid: Incompatible with strong oxidising agents and acids.

Hazardous decomposition products: None known.

Section 11 Toxicological information

Eye contact: Will cause irritation.

Skin contact: Prolonged or repeated contact may cause irritation/dryness.

Inhalation: Not a hazard in normal use.

Ingestion: Moderate toxicity, will cause irritation to gastro-intestinal tract.

Long term: Based on current knowledge, no long term effects are anticipated if used correctly.

Section 12 Ecological information

Water based product. All organic ingredients are biodegradable when well diluted.

Volatile organic content: 0 % w/w 0 g/lit

Section 13 Disposal considerations

Process effluent can normally be discharged to foul sewer (subject to consent limits).

Large quantities, dispose via a licensed chemical waste contractor.

Empty cleaned containers can be recycled where facilities exist or sent for landfill or incineration where permitted.

Section 14 Transport information

Transport Classification: Not classified

UN number not classified Transport class Packing group:

Section 15 Regulatory information

CHIP Classification Irritant



Irritant

Product risk and safety phrases

R36/38 Irritating to eyes and skin.

S37 Wear suitable gloves.

S24/25 Avoid contact with skin and eyes.

S2 Keep out of reach of children.

Relevant UK law: Chemicals (hazard information and packaging) Regulations (CHIP). Control of substances hazardous to health regulations (COSHH, COSHH essentials). For guidance see www.hse.gov.uk, www.dti.gov.uk/chemicals.

Section 16 Other information

R phrases relating to ingredients (see section 2)

R22 Harmful if swallowed.

R36/38 Irritating to eyes and skin.

This product should be stored, handled and used in accordance with good industrial practice and in conformity with legal regulations. The information in this data sheet is based on the present state of our knowledge and is intended to describe products from the point of view of safety requirements and thus should not be construed as guaranteeing specific properties. It is for users to satisfy themselves of the suitability of this product for their own applications.